

Auto Lift Price List

No.1	<p>YSJ-3000 With symmetrical arms, 3.0 tons Price: £ 1225 + VAT Specifications: Lifting capacity: 3000Kg (6600lbs) Post Height: 2880mm Car max lifting height: 1800mm Minimum height: 120mm Clearance between posts: 2750mm Total width: 3370mm Side pads total width: 500mm Base side width: 620mm Long arm maximum length: 1360mm Long arm minimum length: 890mm Short arm maximum length: 1050mm Short arm minimum length: 600mm Lifting Time: 60s Lowering Time: 40s Power Supply Voltage: 220V/230V/380V/400V <u>Net Weight: 700Kg (1550lbs)</u> Gross Weight :750Kg Packing Dimension: 2900mm×580mm×725mm and 860mm×300mm×370mm Cubic Meter: 1.32cbm</p>
-------------	---



No.2

YSJ-3000B

With asymmetrical arms, 3.0 tons

Price: £ 1225 + VAT

Specifications:

Lifting capacity: 3000Kg (6600lbs)

Post Height: 2880mm

Car max lifting height: 1800mm

Minimum Height: 120mm

Clearance between posts: 2750mm

Total width: 3100mm

Side pads total width: 500mm

Base side width: 620mm

Long arm maximum length: 1300mm

Long arm minimum length: 830mm

Short arm maximum length: 925mm

Short arm minimum length: 640mm

Lifting Time: 60s

Lowering Time: 40s

Power Supply Voltage : 220V/380V

Noise: <70dB

Net Weight: 700Kg (1550lbs) Gross Weight :750Kg

Packing Dimension:

2900*560*680mm 860*300*370mm

Cubic Meter: 1.20cbm



No.3

YSJ-3000C

With asymmetrical arms, 4.0 tons

Price: £ 1225 + VAT

Specifications:

Lifting capacity: 4000Kg (8800lbs)

Post Height: 2880mm

Car max lifting height: 1800mm

Lift min stand height: 120mm

Clearance between posts: 2794mm

Total width: 3420mm

Side pads total width: 500mm

Base side width: 620mm

Long arm maximum length: 1460mm

Long arm minimum length: 990mm

Short arm maximum length: 980mm

Short arm minimum length: 680mm

Lifting Time: 60s

Lowering Time: 40s

Power Supply Voltage: 220V/230V/380V/400V

Noise: <70dB

Net Weight: 700Kg (1550lbs)

Gross Weight: 750Kg

Packing Dimension:

2900mm×560mm×720mm and 770mm×280mm×340mm

Cubic Meter: 1.24cbm



No.4

YLJ-3600

With asymmetrical arms, 3.6 tons

Price: £ 1325 + VAT

Specifications:

Lifting Capacity: 3600Kg (8000lbs)

Max Lifting Height: 1850mm

Minimum Lifting height: 120mm

Clearance between carriages: 2750mm

Total width: 3450mm

Side pads total width: 500mm

Base side width: 1500mm

Long arm maximum length: 1360mm

Long arm minimum length: 890mm

Short arm maximum length: 1050mm

Short arm minimum length: 600mm

Lifting Time: 45s

Lowering Time: 30s

Power Supply Voltage: 220V/230V/380V/400V

Motor Power: 2.2Kw

Noise: <70dB

Net Weight: 830Kg (1850lbs)

Gross Weight: 880Kg

Cubic Meter: 2.04cbm



No.5

YLJ-3600C

With asymmetrical arms, 4.0 tons

Price: £ 1325 + VAT

Specifications:

Lifting Capacity: 4000Kg (8800lbs)

Max Lifting Height: 1800mm

Minimum Lifting height: 120mm

Clearance between posts: 2794mm

Total width: 3420mm

Side pads total width: 500mm

Base side width: 620mm

Long arm maximum length: 1460mm

Long arm minimum length: 990mm

Short arm maximum length: 980mm

Short arm minimum length: 680mm

Lifting Time: 60s

Lowering Time: 45s

Power Supply Voltage: 220V/230V/380V/400V

Motor Power: 2.2Kw

Noise: <70dB

Net Weight: 800Kg (1800lbs)

Gross Weight: 850Kg

Cubic Meter: 1.28cbm



No.6

YLJ-4000

With asymmetrical arms, 4.0 tons

Price: £ 1325 + VAT

Specifications:

Lifting Capacity: 4000Kg (8800lbs)

Max Lifting Height: 1800mm

Minimum Lifting height: 120mm

Overall Height: 3190mm

Overall Width: 3419mm

Clearance Between Two Columns: 2750mm

Power Supply Voltage: 220V/380V

Noise: <70dB

Packing Dimension:

2900mm×580mm×720mm

750mm×250mm×300mm

Cubic Meter: 1.28cbm



No.7

A. Y4J-3500 Four post lift with Small Lift

With jacks for wheel aligner, 3.5tons

Price: £ 2250 + VAT

Specifications:

Lifting Capacity: 3500Kg (7700lbs)

Lifting Height:1850mm

Lifting Time(Loaded): 60s

Lowering Time(Loaded): 50s

Power Supply Voltage:220V/380V/415V, 50Hz

Motor Power: 2.2Kw

Width Between Columns: 2850mm

Length of Platform: 4360mm

Width of Each Platform: 560mm

Minimum Height of Platform: 175mm

Net Weight: 1100Kg (2500lbs) Gross Weight: 1200Kg

Packing Dimension:

Platform: 4600*600*230 2pcs

Four Poles: 2440*300*420 2pcs

Cross Rail: 3000*120*300 2pcs

Pump: 1060*290*370 1pcs

Accessories: 1180*560*320 1pcs

Jack: 960*440*380 1pcs

Cubic Meter: 2.59cbm



No.9

Y4J-5500

With small lift for wheel aligner 5.5 tons

Price: £ 2625 + VAT

Specifications:

Lifting Capacity: 5500Kg (12000lbs)

Lifting Height: 1850mm

Lifting Time(Loaded): 60s

Lowering Time(Loaded): 50s

Power Supply Voltage: 380V/415V, 50/60Hz

Motor Power: 2.2Kw

Width Between Columns: 2850mm

Length of Platform: 5170mm

Width of Each Platform: 560mm

Minimum Height of Platform: 175mm

Net Weight: 1100Kg (2500lbs) Gross Weight: 1200Kg

Packing Dimension:

Platform: 5500*580*200 2pcs

Four Poles: 2500*320*400 2pcs

Cross Rail: 3000*270*360 2pcs

Pump: 910*300*360 1pcs

Accessories: 1080*550*300 1pcs

Jack: 960*450*380 1pcs

Cubic Meter: 2.94cbm



No.10

Y4J-3500K1

Multi-Purpose Four-Post Lift, 3.5 tons

Round Post Lift

Price: £ 2249 + VAT

Specifications:

Lifting Capacity: 3500Kg (7700lbs)

Sec. Lifting Capacity: 1500Kg

Lifting Height: 1850mm

Sec. Lifting Height: 200mm

Lifting Time (Loaded): 60s

Lowering Time (Loaded): 50s

Power Supply Voltage: 220V/380V/415V, 50Hz

Motor Power: 2.2Kw

Overall Width: 2920mm

Distance Between Post: 2500mm

Width Between Platforms: 962mm

Width of Each Platforms: 495mm

Dist. btn Platform Centerlines: 1557mm

Length of Platform: 4064mm

Overall Length: 4980mm

Overall Height: 2400mm

Ramp Length: 915mm

Net Weight: 1100Kg (2500lbs) Gross Weight: 1200Kg

Cubic Meter: 3.05cbm



No.11

Y4J-4000 (New Model)

With jacks for wheel aligner, 4.0 tons

With place for Rolling Angle Plate

With safety locks

Price: £ 2100 + VAT

Specifications:

Lifting Capacity: 4000Kg (8800lbs)

Lifting Height: 1962mm

Runaway Length: 4500mm

Runway Width: 508mm

Distance Between Runway: 1000mm

Power Supply Voltage: 220V/380V

Packing Dimension:

Main Body: 4720*620*770

Pump: 900*300*350

Jack: 950*570*380

Cubic Meter: 2.55cbm



No.12

YYJ-2800 Movable Car Lift

With automatically hydraulic mechanical lock

With adjustable four arms

With rubber pads for protection

Price: £ 1000 + VAT

Specifications:

Lifting Capacity: 2800Kg (6200lbs)

Max Lift Height: 1200mm

Lift min stand height: 140mm

Total width: 1080mm-1500mm

The frame width: 1080mm

The total length: 2100mm

Rise time: 25s

Descent time: 25s

Noise: <70dB

Power Supply Voltage: 220V/230V/380V/400V

Motor Power: 1.5Kw

Net Weight: 350Kg (5000lbs)

Gross Weight: 450Kg

Packing Dimension:

2040mm×1130mm×270mm

1350mm×380mm×440mm

Cubic Meter: 0.85cbm



No.13 **YCJ-3000** Horizontal Scissor Lift
(Installed under the ground then platform is at the same level of the ground)
With automatically hydraulic mechanical lock
With rubber pads for protection
Price: £ 2065 + VAT
Specifications:
Lifting capacity: 3000Kg (6600lbs)
Max Lifting Height: 1800mm
Min Hight:315mm
Platform Length: 1500mm
Single Platform Width: 500mm
Space Between Platforms: 900mm
Lifting time: 50s
Lowering time:45s
Power Supply Voltage: 220V/380V
Noise: <70dB
Net Weight: 880Kg (2000lbs)
Gross Weight: 980Kg
Packing Dimension:
1560mm×550mm×400mm (2pcs)
520mm×380mm×1060mm (1pc)
Cubic Meter: 0.7cbm



No.14

YCJ-3000B Super Thin Scissor Lift

With automatically hydraulic mechanical lock

With rubber pads for protection

Price: £ 2444 + VAT

Specifications:

Lifting capacity: 3000Kg (6600lbs)

Lifting Height: 1850mm

Platform Length: 1435mm-2000mm

Min Height: 115mm

Single Platform Width: 600mm

Space Between Platforms: 800mm

Lifting Time: 50s

Lowering time:50s

Noise: <70dB

Power Supply Voltage: 220V/380V

Motor power: 2.2Kw

Net Weight: 710Kg (1600lbs)

Gross Weight: 800Kg

Packing Dimension:

1660mm×720mm×270mm (2pcs)

540mm×400mm×1140mm (1pc)

1270mm×365mm×180mm (1pc)

Cubic Meter: 0.98cbm



No.15 YDJ-3000 Horizontal Scissor Lift

Price: £ 2065 + VAT

Specifications:

Lifting capacity: 3000Kg (6600lbs)

Max Lifting Height: 1800mm

Min Height: 200mm

Space Between Platforms: 900mm

Total Width: 1920mm

Platform Length: 1450-1900mm

Single Platform Width: 450mm

Lifting Time: 45s

Lowering time:30s

Power Supply Voltage: 220V/230V/380V/400V

Motor power: 2.2Kw

Noise: <70dB

Net Weight: 900Kg (1990lbs)

Gross Weight: 980Kg

Packing Dimension:

2950mm×650mm×480mm (1pcs)

1570mm×760mm×270mm (1pc)

530mm×400mm×1050mm (1pc)

Cubic Meter: 1.47cbm



No.16

YDJ-3000B

Super Low Scissor Lift

With automatically hydraulic mechanical lock

With rubber pads for protection

Price: £ 1238 + VAT

Specifications:

Lifting capacity: 3000Kg (6600lbs)

Max Lifting Height: 1000mm

Min Height: 120mm

Space Between Platforms: 700mm

Total Width: 1760mm

Platform Length: 1400mm-1900mm

Single Platform Width: 530mm

Lifting Time: 45s

Lowering time:30s

Power Supply Voltage: 220V/230V/380V/400V

Motor power: 2.2Kw

Noise: <70dB

Net Weight: 540Kg (1200lbs)

Gross Weight: 600Kg

Packing Dimension:

1900mm×1460mm×260mm (1pcs)

530mm×380mm×880mm (1pc)

Cubic Meter: 0.90cbm



No.17 **YZJ-3500**
Double-Deck Lift (For Wheel Aligner)
With automatically hydraulic mechanical lock
With rubber pads for protection
Position for rolling angle plate for alignment
Price: £ 4000 + VAT
Specifications:
Lifting Capacity: 3500Kg (7700lbs)
Max lifting height (main platform with sub-platform): 2200mm
Main platform lifting height (sub-platform): 1750mm(450mm)
Clearance between platform: 930mm
Distance between center: 1540mm
Total width: 2150mm
Single platform total width: 600mm
Total length: 4400mm
Lifting Time: 60s
Lowering Time: 18s-45s
Power Supply Voltage: 220V/230V/380V/400V
Motor power: 2.2Kw
Net Weight: 1880Kg *Gross Weight: 1980Kg (4400lbs)*
Packing Dimension:
4100mm×820mm×550mm (2pcs)
540mm×400mm×1040mm (1pc)
Cubic Meter: 3.92cbm



No.18 YPJ-3600 (For Racing Car and Wheel Alignment)

With automatically hydraulic mechanical lock

With rubber pads for protection

Position for rolling angle plate for alignment

Price: £ 4000 + VAT

Specifications:

Lift weight: Main platform: 3600kg (8000lbs);

The second lift: 2000kg (4400lbs)

Lift height: Main platform: 1750mm;

The second lift: 450mm

The lowest height: 430mm

Rise time: 55s Descent time: 50s

Platform total length: 4500mm

Max. travel distance of the second lift: 3100mm

Total width: 2000mm

Distance between two platforms: 840mm

Center distance between two platforms: 1420mm

Each platform width: 510mm


Power Supply Voltage: 220V/230V/380V/400V

Motor power: 2.2Kw

Net Weight: 1880Kg (4200lbs)

Gross Weight: 1950Kg

Cubic Meter: 3.29cbm



No.19 M-500 (QMJ-500) Motorcycle Lift
(Powered by Air Compressor)

Price: £ 669 + VAT

Specifications:

Lifting Capacity: 400Kg (880lbs)

Max Lift Height: 700mm

Minimum Height: 160mm

Lifting Time: 20s-40s

Lowering Time: 20s-40s

Platform Length: 2200mm

Platform Width: 750mm

Air Pressure: 0.8-1.0MPa

Net Weight: 180Kg

Gross Weight: 200Kg

Packing Dimension:

2210mm×780mm×280mm

450mm×450mm×200mm

Cubic Meter: 0.52cbm



No.20 **M-500B** Motorcycle Lift
(Powered by Air Compressor)
Price: £ 682 + VAT
Specifications:
Lifting Capacity: 400Kg(880lbs)
Lifting Height: 700mm
Minimum Height: 200mm
Lifting Time: 20s-35s
Lowering Time: 20s-35s
Air Pressure: 0.8-1.2MPa
Platform Length: 1800mm
Platform Width: 560mm
Net Weight: 128Kg
Gross Weight: 148Kg
Packing Dimension:
1820mm×600mm×260mm
450mm×450mm×200mm

Cubic Meter: 0.32cbm



No.21 M-500C (Powered by Air Compressor)

Motorcycle/ATV/Scooter Lift

Price: £ 825 + VAT

Specifications:

Lifting Capacity: 500Kg (1100lbs)

Lifting Height: 750mm

Minimum Height: 200mm

Air Pressure: 0.8-1.0MPa

Platform Length: 2125mm/2450mm

Platform Width: 600mm/1200mm

Net Weight: 350Kg

Gross Weight: 380Kg

Packing Dimension:

2200mm*690mm*500mm

Cubic Meter: 0.95cbm



No.22 A. Y4JK-3500 (B. Y4JK-4500 C. Y4JK5500)

For 3.5 tons, 4.5 tons, 5.5 tons

Parking Lift for Two Vehicles

FOB Dalian Price:

A. £ 2188 + VAT

B. £ 2249 + VAT

C. £ 2600 + VAT

Specifications:

Lifting Capacity: 3500Kg/4500Kg/5500Kg
(7700lbs/9900lbs/12000lbs)

Lifting Height: 1700mm-2000mm

Lifting Time(Loaded): 60s

Lowering Time(Loaded): 30s

Power Supply Voltage: 380V/415V, 50Hz

Motor Power: 2.2Kw

Overall Height: 2450mm

Overall width: 3135mm

Length of Platform: 4360mm/4360mm/5170mm

Width of Each Platform: 560mm

Min Height of Platform: 175mm

Size:

For Y4JK-3500 the platform length is 4360mm and lifting capacity is 3.5 tons.

For Y4JK-4500 the platform length is 4360mm and lifting capacity is 4.5 tons.

For Y4JK-5500 the platform length is 5170mm and lifting capacity 5.5 tons.



No.23

YSJK-4000

New Parking Lift for Two Vehicles

Price: £ 2249 + VAT

Specifications:

Lifting Capacity: 3000Kg (6600lbs)

Lifting Height: 1850mm

Overall Height: 2800mm

Overall Width: 2600mm

Lifting Time(Loaded): 40s-50s

Distance Between Columns:2274mm

Runway Width: 2194mm

Power Supply Voltage: 220V/380V/3ph

Packing Dimension:

3550*2300*400 (one platform)

3000*350*680 (two posts in one pcs)

940*300*320 (pump)

Netwet:1100Kg

Gross Weight:1200kg

Cubic Meter: 1.65cbm



No.24

YDJK-2000

New Parking Lift for Two Vehicles
With Flat Oil Tray Between Two Platform

Price: £ 2249 + VAT

Specifications:

Lifting Capacity: 2000Kg (4400lbs)

Platform Length: 3860mm

Platform Width: 920-1960mm

Overall Length: 4210mm

Overall Width: 2650mm

Overall Height: 2830mm

Lifting Time: 60s

Power Supply Voltage: 220V/380V 50/60Hz

Netwt: 1250Kg

Gross Weight: 1300kg

Packing Dimension:

2900mm*640mm*400mm(1pc)

4000mm*730mm*500mm(1pc)

1850mm*800mm*200mm(1pc)

1420mm*1000mm*120mm(1pc)

1200mm*500mm*150mm(1pc)

2300mm*450mm*230mm(2pc)

Cubic Meter: 3.23cbm



No.14 **YSJ-3000 (New Model)**
With symmetrical arms, 3.0 tons
Price: £ 1063 + VAT
Specifications:
Lifting capacity: 3000Kg (6600lbs)
Post Height: 2786mm
Car max lifting height: 1800mm
Minimum height: 120mm
Clearance between posts: 2846mm
Total width: 3446mm
Side pads total width: 500mm
Base side width: 620mm
Lifting Time: 30s
Lowering Time: 20s
Power Supply Voltage: 110V/220V/380V (Optional)
Color: Optional (Red, Blue, Orange or others)
Net Weight: 450Kg
Gross Weight :500Kg
Packing Dimension:
2900mm×580mm×725mm and 860mm×300mm×370mm
Cubic Meter: 1.32cbm



